Learning drivers of climate-induced human migrations with Gaussian processes

Jose M. Tarraga, Maria Piles and Gustau Camps-Valls* Image Processing Laboratory (IPL) Universitat de València 46980 Paterna (València). Spain {jose.tarraga, maria.piles, gustau.camps}@uv.es

Abstract

In the current context of climate change, extreme heat waves, droughts and floods are not only impacting the biosphere and atmosphere but the anthroposphere too. Human populations are forcibly displaced, which are now referred to as climate-induced migrants. In this work we investigate which climate and structural factors forced major human displacements in the presence of floods and storms during years 2017-2019. We built, curated and harmonized a database of meteorological and remote sensing indicators along with structural factors of 27 developing countries world-wide. We show how we can use *Gaussian Processes* to learn what variables can explain the impact of floods and storms in a context of forced displacements and to develop models that reproduce migration flows. Our results at regional, global and disaster-specific scales show the importance of structural factors in the determination of the magnitude of displacements. The study may have both societal, political and economical implications.

"When we escaped, we ran, without taking our belongings. Some of us ran barefoot. Some women lost their children – they have seen a lot." - Anonymous migrant in Nigeria.

1 Introduction

An average of 25.3 million displacements has been brought on each year since 2008 due to extreme climate events with devastating consequences on human communities [1]. Particularly, vulnerable regions are the most affected with 95% of climate migrants belonging to low-middle income regions of the globe [2]. Recent studies have shown how changes in climate patterns and the increase in frequency and intensity of climate disasters are inducing newly emerging and changing patterns on human mobility [3,4], making migration dynamics more difficult to anticipate. In the light of these events, not only novel predictive modelling approaches are needed, but also determining the drivers of climate-induced displacement is crucial to link and quantify climate change impact on migration and to eventually aid effective climate policies and pressure legislative reform [5].

The relationship between climate change and human migration is challenging to quantify and disentangle since it is a multi-causal phenomena with complex a interplay between its drivers [6]. Forced displacement occurs when a severity threshold is reached in the affected region [7], depending on the intensity of the shock but also on a range of socio-economic, demographic, environmental and political factors, among others [8,9]. Contrarily to popular narratives, some empirical studies show that greater shock severity does not necessarily need to be proportional to the displacement magnitude [3], and displacement is usually modelled by using gravity or radiation equations [10, 11],

^{*}http://isp.uv.es

³⁴th ML4D Workshop at Conference on Neural Information Processing Systems (NeurIPS 2020), Vancouver, Canada.

which assume linear or log-linear relationships between displacement and the potentially explanatory covariates, calling the need for multivariate and non-linear modelling tools.

While international migration has been more extensively studied, internal displacement has received little attention, probably due to data acquisition challenges. We advocate recent advances in displacement monitoring, together with the increase of airbone, satellite, and meteorological data in sparse-data regions can be exploited for closing this climate-migration gap. Here we propose Gaussian Processes as a machine learning approach to learn from available data how to model internal displacements induced by flood and storm events.

2 Gaussian processes for modeling and interpretability

Gaussian Processes (GPs) are non-parametric probabilistic approaches for machine learning problems, mainly for regression and classification. The goal of the GP regression method [12] is to learn a nonparametric function f able to estimate our target variable (internally displaced person, IDP²) at country level $y \in \mathbb{R}$ from a set of D input features (e.g. satellite, meteorological and structural variables), $\mathbf{x} = [x^1, \ldots, x^D] \in \mathbb{R}^D$. We assume an additive noise model $y = f(\mathbf{x}) + \varepsilon$, where the noise is additive independent and identically Gaussian distributed with zero mean and variance $\sigma_n, \varepsilon \sim \mathcal{N}(0, \sigma_n^2)$. Let us define the stacked output values $\mathbf{y} = [y_1, \ldots, y_N]^{\top}$, and denote the test points and predictions with a subscript asterisk \mathbf{x}_* and y_* respectively. The output values are distributed as a Gaussian with a zero mean and a covariance matrix \mathbf{K} of size $N \times N$ that contains all pairwise similarities between countries i and j, $[\mathbf{K}]_{ij} = k(\mathbf{x}_i, \mathbf{x}_j)$. The GP model prediction for a test point \mathbf{x}_* is obtained by computing the posterior distribution over the unknown output \mathbf{y}_* as $p(\mathbf{y}_*|\mathbf{x}_*, \mathcal{D})$, where $\mathcal{D} \equiv \{\mathbf{x}_n, y_n\}_{n=1}^N$ is the training dataset. This posterior can be shown to be a Gaussian distribution, $p(y_*|\mathbf{x}_*, \mathcal{D}) = \mathcal{N}(y_*|\mu_{GP*}, \sigma_{GP*}^2)$, for which one can estimate the *predictive mean* (point-wise predictions) as $\mu_{GP*} = \mathbf{k}_*^\top (\mathbf{K} + \sigma_n^2 \mathbf{I})^{-1} \mathbf{y} = \mathbf{k}_*^\top \alpha$, where α are model weights.

GPs are not black boxes, they allow not only modeling but also gaining some insights about the problem. Here we use a composite covariance formed by a linear and the automatic relevance determination (ARD) kernel function, $K(\mathbf{x}_i, \mathbf{x}_j) = \mathbf{x}_i^\top \mathbf{x}_j + \nu \exp(-\sum_{d=1}^D \gamma_d (x_i^d - x_j^d)^2) + \sigma_n^2 \delta_{ij}$, where ν is a scaling factor, γ_d are dedicated hyperparameters controlling the spread of the signal relations in each dimension d, σ_n is the noise standard deviation, and δ_{ij} is the Kronecker's symbol. The linear kernel copes with linear features and to mimic the best linear decision, the (anisotropic) exponential kernel deals with locality and nonlinearities to modify the linear solution, and the noise term to regularize the solution. The D + 2 hyperparameters of our GP model $\theta = \{\nu, \gamma_d, \sigma_n\}$ were inferred by Type-II Maximum Likelihood. We work in a very data-limited high-noise regime which induces an error surface with many local minima. Therefore, instead of using the conjugate gradient ascend strategies, we used a more robust Bayesian optimization procedure [13]. After optimization, we studied the γ_d for model interpretability.

3 Data collection and preprocessing

The database contains displacement and climatic data from severe floods and storms events in 27 countries during the period 2017 - 2019 alongside a wide range of structural factors in each country. See Fig. 1 for the total number of IDPs per considered country.

Displacement data comes from the Internal Displacement Monitoring Centre (IDMC) which provides Internally Displaced Person (IDP) (our target variable) data on a disaster event basis since 2017 [14]. We collected a total of 229 IDP events belonging to Africa and Asia regions and identified the affected areas within each country for each catastrophe consulting different disaster sources, such as IDMC, Relief and EM-DAT [14–16]. According to the IDMC, 149 of these events correspond to flood disasters (seasonal rains or displacements of large masses



Figure 1: Total IDPs (2017-2019) by country.

²IDP is defined as someone who is forced to flee his/her home but remains within his/her country's borders.

of water) and 80 of them to storm disasters (tropical cyclones, torrential rain etc). The number of events in each country and the magnitude of displacement are summarized in Appendix I.

To characterize the *severity of the disaster* we extracted climate extremes using the Google Earth Engine platform. The chosen products provide data in sparse data regions, where meteo-hydrological data is poorly available such as Sub-Saharan Africa, from the simulation and combination of satellite and *in situ* data [17–19]. We selected the maximum valued pixel for each climate feature in the affected area with a monthly resolution. The dates of IDP events and climate extremes were matched by consulting the peak of the catastrophe in different disaster sources [14–16]. Lastly, 46 variables used in this study comprising socio-economic, demographic, political and environmental features were collected from different sources as shown in Appendix II. Before training, we standardized data so that γ_d was not inflated towards high-variance variables, and a log-scale was applied to IDPs and to the total population in the affected area (Pop).

4 Results

Results in Table 1 show moderate accuracy (RMSE<0.9 and $r^2 \in [0.55, 0.70]$) and low bias (ME ≤ 0.15) levels for all developed models of IDP, either regionally, disaster-specific or globally. This is a necessary observation before the more ambitious goal of model interpretability. In this section we analyze the γ_d rankings in a context of displacement at the different scales.

Table 1: Mean and standard deviation results of the regression problems: Pearson's correlation coefficient, r^2 , mean error, ME, and root-mean-square error, RMSE over 100 runs of 75-25% train-test partitions.

Models	N	r^2	ME	RMSE
Africa	93	0.56 ± 0.11	0.15 ± 0.09	0.84 ± 0.10
Asia	136	0.64 ± 0.09	0.12 ± 0.09	0.78 ± 0.09
Flood	149	0.68 ± 0.08	0.12 ± 0.08	0.73 ± 0.08
Storm	80	0.65 ± 0.13	0.16 ± 0.10	0.76 ± 0.12
Global	229	0.68 ± 0.06	0.08 ± 0.06	0.74 ± 0.06

4.1 Climate-induced migrations in Africa and Asia

We study here Africa and Asia as the most important regions of forced migration. Two individual models were thus developed for each continent. The ranking of covariates extracted by the GP model for migrations in Africa is shown in Fig. 2[top] and indicates that precipitation rate (PrR) is the most relevant factor, answering to the great impact of rain across the African continent. Both government effectiveness (GE) and mortality due to lack of sanitation (MS) follow, which are related to the socio-economic vulnerability of countries such as South Sudan, Sudan, DR Congo, Somalia or Nigeria and that also present a significant number of IDPs. Another relevant factor is latitude (Lat), which could account for the high displacement magnitudes observed above the Equator. An interesting finding is that Pop scores little importance, suggesting that displacement magnitude in Africa does not relate to the most populated areas but to those which climate disasters have been more devastating.

Results for Asia in Fig. 2[bottom] suggest that Pop is the most relevant feature to explain the IDP in the region. This result is supported by the fact that 84% of total IDPs in Asia come from 78 disaster events in Bangladesh, China, India and Philippines alone, which represent tremendous population densities. Among climate features, evapotranspiration anomalies (Eva)





Figure 2: Ranking of climatic covariates inducing migration in Africa (top) and Asia (bottom).

is by far the most relevant one. We hypothesize here that this is related to the evaporation of water accumulations after heavy flood and storm extreme events, which could be possibly due to the impact of Monsoon floods in the most populated cities. Monitoring population density and evapotranspiration are suggested to effectively quantify IDP in Asia.

4.2 Climate-induced migrations by flood and storm disasters

The previous regional studies could be affected by the type of disaster. Let us now study the factors impacting migrations induced by floods and storms separately. Flood modelling in Fig. 3[top] reveals that life expectancy (LE) and percentage of arable land (ARL) are the most dominant factors driving migrations after floods, and indicate that the GP model learned to associate IDP magnitude with specific countries. Maximum temperature (T) importance could also be interpreted in this regard, taking into account temperature differences between Asia and Africa regions. For this reason, LE importance must not be interpreted as a socio-economic vulnerability driving flood displacement. Nonetheless, the most severe IDP flood events occur in countries such as China, Philippines, Bangladesh, India, Nigeria or Ethiopia which have high ARL values. This result could be displaying the effect of intensive agricultural practices, land degradation and deforestation on flood risk as a global scale problem [20, 21].



Storm events in Bangladesh, China, India and Philippines account for 80% of the IDPs caused by storms in our datataset. The storm model, cf. Fig. 3[bottom], must be interpreted on these terms. Results present the highest relevance for length

Figure 3: Ranking of features obtained for flood and storm induced migrations.

of coastline in km (CO) feature accounting for the severe impact of tropical cyclones in the coastal regions of China, India, Bangladesh and Philippines, but also the severe cyclones in Mozambique (Idai cyclone) and Vietnam (e.g. Vinta-Tembin cyclone), before dissipating inland. Pop and Lat features arise again, mainly due to the high IDP magnitudes present in South Asia, while Eva and Water Vapour Deficit (VPD) are variables associated to floods and cyclone forming conditions, respectively.

4.3 Climate-induced migrations globally

Global model results, cf. Fig. 4, are consistent with flood and storm models returning highest feature relevance for LE, ARL and CO features which account for the most affected regions by flood and storms. Next, Eva and Vpd appear as the most relevant climate predictors of global displacements accounting for flood and storm events alongside with GE, Pop which appear in Asia and Africa Models. As many events and regions are combined together in the same model, the relative relevance of covariates is more even, yet still reflecting on the great importance of the combination of societal (life expectancy) and economical (land arable) factors.

$\begin{array}{c} 0.15\\ \gamma_{d} \\ 0.1\\ 0.05\\ 0\\ & & & \\ \end{array}$

Figure 4: Ranking of features obtained for climate-induced global migrations.

5 Conclusions

We introduced the use of Gaussian processes in the challenging problem of interpreting the relative relevance of climate-induced human migrations. We collected and harmonized a database of meteorological, satellite-derived and socio-economic indicators to undertake our investigations. Results at regional, global and disaster-specific (floods and storms) showed the high importance of structural (socio-economic) covariates as the driving forces to determine the magnitude of displacements. The results obtained have both societal and economic implications in disaster management and monitoring, which should be not only type but also country-specific

Despite these encouraging results there are a number of limitations to sort out in the future. Catastrophes are not the only drivers triggering forced migrations. It is widely accepted that turning points and complex saturation effect exist on life conditions [7], which should be considered too. Actually, accumulation of previous disasters can be a discriminative factor, but inclusion requires longer time series. This is a challenging problem with a high level of noise and uncertainty, and with a great number of involved counfounders, where causal discovery could -and should- say a word.

Acknowledgments and Disclosure of Funding

Research partly funded by the 'Ayudas Fundación BBVA a equipos de investigación científica 2019' in the project '*Causal inference in the human-biosphere coupled system*', and the EU H2020 DeepCube '*Explainable AI pipelines for big Copernicus data*'. Gustau Camps-Valls were supported by the European Research Council (ERC) under the ERC-CoG-2014 SEDAL (647423) project.

References

- [1] IDMC. Global report on internal displacement. 2019. https://www.internaldisplacement.org/global-report/grid2019/.
- [2] World Bank Climate Change Group. Groundswell : Preparing for internal climate migration. 2019. http://hdl.handle.net/10986/29461.
- [3] D.J. Kaczan and J. Orgill-Meyer. The impact of climate change on migration: a synthesis of recent empirical insights. *Climatic Change*, 158:281–300, 2020.
- [4] Intergovernmental Panel on Climate Change (IPCC). Changes in climate extremes and their impacts on the natural physical environment. 2018. https://www.ipcc.ch/site/assets/uploads/2018/03/SREX-Chap3_FINAL-1.pdf.
- [5] E. Wilkinson and A. Kirbyshire. Climate-induced migration and displacement: closing the policy gap. *ODI Briefing*, 2016.
- [6] C. Cattaneo, M. Beine, Frohlich C., D. Kniveton, I. Martinez, M. Mastrorillo, K. Millock, E. Piguet, and B. Schravenl. Human migration in the era of climate change. *Review of Environmental Economics and Policy*, 13:189–206, 2019.
- [7] Safra de Campos R., Bell M., and Charles-Edwards E. Collecting and analysing data on climaterelated local mobility: the mistic toolkit. *Population, Space and Place*, 236:e2037, 2017.
- [8] M. Beine and C. Parsons. Climatic factors as determinants of international migration. Scand. J. Econ., 117, 2015.
- [9] R. Black and W. N. Adger. The effect of environmental change on human migration, globalenvironmental change. *Review of Environmental Economics and Policy*, 21:3–11, 2011.
- [10] M. Beine, S. Bertoli, and J. F. Moraga. A practitioners' guide to gravity models of international migration. *The World Economy*, 39(4):496-512, 2016.
- [11] A. Masucci, Paolo, J. Serras, A. Johansson, and M. Batty. Gravity versus radiation models: On the importance of scale and heterogeneity in commuting flows. *Phys. Rev. E*, 88:022812, 2013.
- [12] C. E. Rasmussen and C. K. I. Williams. *Gaussian Processes for Machine Learning*. The MIT Press, New York, 2006.
- [13] Michael A. Gelbart, Jasper Snoek, and Ryan P. Adams. Bayesian optimization with unknown constraints. In *Proceedings of the Thirtieth Conference on Uncertainty in Artificial Intelligence*, UAI'14, pages 250–259, Arlington, Virginia, USA, 2014. AUAI Press.
- [14] IDMC. Internal displacement monitoring centre website. https://www.internaldisplacement.org/.
- [15] Reliefweb by OCHA Services. Reliefweb disaster reports. 2019. https://reliefweb.int/disasters.
- [16] Centre for Research on the Epidemiology of Disasters. The international disasters database. 2019. https://www.emdat.be/database.
- [17] NASA/GSFC/HS. McNally, A. Ldas noah land surface model 14 global monthly 0.1 x 0.1 degree (merra-2 and chirps). USA, Goddard Earth Sciences Data and Information Services Center (GES DISC), 2018.
- [18] Copernicus Climate Change Service (C3S). Era5: Fifth generation of ecmwf atmospheric reanalyses of the global climate. *Copernicus Climate Change Service Climate Data Store* (*CDS*), 2017.
- [19] John T Abatzoglou, Solomon Z Dobrowski, Sean A Parks, and Katherine C Hegewisch. Terraclimate, a high-resolution global dataset of monthly climate and climatic water balance from 1958–2015. *Scientific data*, 5:170191, 2018.

- [20] Intergovernmental Panel on Climate Change (IPCC). Climate change and land: A summary for policy makers. 2019. https://www.ipcc.ch/site/assets/uploads/2019/08/4.-SPM_Approved_Microsite_FINAL.pdf.
- [21] K. Gunnella, M. Mark Mulligana, R. A. Francisa, and G. D. Holebc. Evaluating natural infrastructure for flood management within the watersheds of selected global cities. *Elsevier: Science of The Total Environment*, 670:Pages 411–424, 2019.
- [22] Center for International Earth Science Information Network CIESIN Columbia University. Gridded population of the world, version 4 (gpwv4): Population density, revision 11. NASA Socioeconomic Data and Applications Center (SEDAC), 2018.
- [23] United Nations Development Programme: Human Development Reports. Human development data (1990-2018). http://www.hdr.undp.org/en/data.
- [24] World Bank. World development indicators. 2018. https://databank.worldbank.org/source/worlddevelopment-indicators.
- [25] World Bank. World development indicators. 2018. https://databank.worldbank.org/source/worlddevelopment-indicators.
- [26] K. Didan. Mod13a2 modis/terra vegetation indices 16-day 13 global 1km sin grid v006 [data set]. ASA EOSDIS Land Processes DAAC., 2015.
- [27] D. Kaufmann and A. Kraay. The worldwide governance indicators (wgi). 2019. http://info.worldbank.org/governance/wgi/.

Appendix I. Details on the IDP database

		Flood		Storm	
Country	Region	Events	IDPs	Events	IDPs
Afghanistan	Asia	13	169700	0	0
Bangladesh	Asia	8	791600	4	4263000
Cambodia	Asia	3	48300	2	57300
China	Asia	11	4834000	15	6130000
India	Asia	7	5987500	7	2800600
Iraq	Asia	3	81 100	0	0
Laos	Asia	0	0	2	120000
Myanmar	Asia	3	829000	6	42600
Nepal	Asia	3	483900	2	15700
Philipines	Asia	14	2090300	10	4174800
Thailand	Asia	3	45700	2	60000
Sri-Lanka	Asia	6	284400	0	0
Vietnam	Asia	2	26000	8	780000
Angola	Africa	8	23700	1	1600
Congo	Africa	2	166000	0	0
DR Congo	Africa	11	251400	3	40100
Ethiopia	Africa	8	587600	0	0
Kenya	Africa	6	438000	0	0
Mali	Africa	2	5700	0	0
Mozambique	Africa	2	25100	4	676000
Niger	Africa	4	348300	7	3999
Nigeria	Africa	8	842200	3	8 1 0 0
Rwanda	Africa	3	58000	2	3800
Somalia	Africa	4	709100	1	13100
South Sudan	Africa	4	361000	0	0
Sudan	Africa	4	446800	0	0
Uganda	Africa	7	333000	0	0
Africa		79	4708400	14	742 700
Asia		70	15577200	66	21141000
Total		149	20285600	80	21883700

 Table 2: IDP events by country, disaster and regions

Feature	Short	Years	Description	Reference
Domain: Migration				
Internally Displaced Person	IDP	2017-2019	Person forced to leave home, in particular as a response of a climate disaster and that has not crossed any interna- tional border.	IDMC website [14]
Domain: Atmospheric	?			
Evapotranspiration	Eva	2017-2019	Evapotranspiration from VIC4.1.2 (and Noah3.3) is the sum of three weighted components by their sur- face contribution: canopy intercepted evaporation, vegetation transpiration and earth evaporation. Units: kg m-2 s-1.	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17]
Specific Humidity	Hum	2017-2019	Units: kg kg-1	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17]
Total Precipitation Rate	PrR	2017-2019	Monthly total precipitation rate combining data from GDAS, MERRA-2 and CHIRPS. Units: kg m-2 s-1	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17]
Wind Speed 1	Ws1	2017-2019	Wind speed at surface level (10m). Units: m s-1	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17]
Near Surface Temper- ature (2m)	Т	2017-2019	Units: K	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17].
Water Vapour Pres- sure	Vap	2017-2019	Measure of the vertical col- umn of water vapour Mea- sure combining meteorolog- ical station datas of World- Clim v2, CRU Ts4.0 and JRA-55 Units: kPa	TerraClimate: Monthly Climate and Climatic Water Balance for Global Terrestrial Surfaces 2.5 arc minutes [19]
Water Vapour Deficit	Vpd	2017-2019	Measure of monthly water deficit around mean value of the dataset combining me- teorological station datas of WorldClim v2, CRU Ts4.0 and JRA-55 Units: kPa	TerraClimate: Monthly Climate and Climatic Water Balance for Global Terrestrial Surfaces 2.5 arc minutes [19]
Precipitation Accu- mulation	PrA	2017-2019	Measure of monthly accu- mulated precipitation com- bining meteorological station datas of WorldClim v2, CRU Ts4.0 and JRA-55 Units: mm	TerraClimate: Monthly Climate and Climatic Water Balance for Global Terrestrial Surfaces 2.5 arc minutes [19]

Appendix II. Details on the covariates

Mean Total Precipita- tion	TPr	2017-2019	Precipitation rate over earth surface if it was uniformly distributed over the selected region. Precipitation is gen- erated following ECMWF "Integrated Forecasting Sys- tem" (IFS) models. Units: kg m-2 s-1	ERA5 Monthly ag- gregates 0.25 arc de- grees - ECMWF / Copernicus Climate Change Service [18]
Wind Speed 2	Ws2	2017-2019	Horizontal wind component at 10m. Unidades: m s-1	ERA5 Monthly ag- gregates 0.25 arc de- grees - ECMWF / Copernicus Climate Change Service [18]
Sea Level Pressure	Pres	2017-2019	Minima of atmospheric pres- sure adjusted to sea level al- titude. Units: Pa.	ERA5 Monthly ag- gregates 0.25 arc de- grees - ECMWF / Copernicus Climate Change Service [18]
Domain: Earth				
Soil Moisture	Soil	2017-2019	Soil moisture at 0 - 10 cm underground. Units: m ³ m- 3	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17]
Water Run-off	Run	2017-2019	In Noah3.3, water Run-off is computed using the two layers conceptual scheeme of Schaake et al.37 based on a simple water balance model. Units: kg m-2 s-1	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17]
Underground Water Run-off	Urun	2017-2019	Units: kg m-2 s-1	FLDAS Noah Land Surface Model L4 Global Monthly 0.1 x 0.1 degree [17]
Domain: Demographi	с			
Total Population	Рор	2015	Population density estimate based on national registers adjusted by the "United Nation's World Population Prospects" (UN WPP) cen- sus in 2015 multiplied by the area of the affected region	GPWv411: Popula- tion Density (Grid- ded Population of the World Version 4.11) [22]
Rural Population	RP	2018	percentage of Rural Popula- tion the country.	United Nations Development Pro- gramme: Human Development Re- ports [23]
Birth Rate	BR	2018	Birth Rate in the country.	United Nations Development Pro- gramme: Human Development Re- ports [23]

LE	2018	Average Life Expectancy in the country.	United Nations Development Pro- gramme: Human Development Re- ports [23]
MA	2018	Median Age of the popula- tion of the country	United Nations Development Pro- gramme: Human Development Re- ports [23]
UN	2018	Unemployment percentage in the country.	United Nations Development Pro- gramme: Human Development Re- ports [23]
mic varid	ıble		
MS	2018	Number of deaths due to poor hygiene and sanitary services per 100.000 inhab- itants in the country.	United Nations Development Pro- gramme: Human Development Re- ports [23]
GDP	2018	FMI establishes that "GDP measures the monatary value of final goods and services, that are bought by the final user, produced in a country per capita"	World Development Indicator [24]
EI	2018	It's a measurement on the trade of a country. measures the total exports and imports in dollars as a % of the GDP of the country.	United Nations Development Pro- gramme: Human Development Re- ports [23]
AE	2018	Percentage of the population with access to electricity	United Nations Development Pro- gramme: Human Development Re- ports [23]
СҮ	2018	Kg of cereals produced in the country.	United Nations Development Pro- gramme: Human Development Re- ports [23]
EA	2018	Fracction of total employ- ment that belong to agricul- tural practises.	United Nations Development Pro- gramme: Human Development Re- ports [23]
PR	2018	km of paved road in the coun- try.	United Nations Development Pro- gramme: Human Development Re-
	MA UN mic varia MS GDP EI AE CY	MA 2018 UN 2018 mic variable 2018 MS 2018 GDP 2018 EI 2018 AE 2018 CY 2018 EA 2018	the country.MA2018Median Age of the population of the countryUN2018Unemployment percentage in the country.mic variableMS2018MS2018Number of deaths due to poor hygiene and sanitary services per 100.000 inhabitants in the country.GDP2018FMI establishes that "GDP measures the monatary value of final goods and services, that are bought by the final user, produced in a country per capita"EI2018It's a measurement on the trade of a country. measures the total exports and imports in dollars as a % of the GDP of the country.AE2018Percentage of the population with access to electricityCY2018Kg of cereals produced in the country.EA2018Fracction of total employment that belong to agricultural practises.PR2018km of paved road in the count

Human Inequality	HI	2018	Measures the capability of citizens of accessing the same life conditions in a country if inequality condi-	World Development Indicator [25]
Concentration Index	CI	2018	tions did not exist. Defined as twice the area be- low the concentration curve, L(p), and the line of equality. In case of not existing salary equality CI is equal to 0.	World Development Indicator [25]
Education Index	EDI	2018	50% weighted average be- tween the mean years of adult scholarization and the mean years of children schol- arization.	World Development Indicator [25]
Human Development Index	HDI	2018	Summarizes a measurement of the development in the country: A health, life ex- pectancy, education and life quality.HDI is the geomet- ric average between life ex- pectancy, Education Index and Income Index.	World Development Indicator [25]
Income Index	II	2018	Income Index o GNI per capita is defined as the GDP plus foreign money influx mi- nus the money leaving the country per capita.	World Development Indicator [25]
Human Capital Index	HCI	2018	The index measures the capa- bility of the country to mobi- lize the economic and profe- sional potential of its citizens. It also measures the capital loses trough a lack of educa- tion and sanitation.	World Development Indicator [25]
Domain: Environmen	tal			
Coastline	СО	Static	Length of coastline in the area in km.	United Nations Development Pro- gramme: Human Development Re- ports [23]
Latitude	LAT	Static	Latitude	United Nations Development Pro- gramme: Human Development Re- ports [23]
Longitude	LON	Static	Longitude	United Nations Development Pro- gramme: Human Development Re- ports [23]

Altitude	AL	2018	Average altitude in the af- fected area. Units: m	SRTM Digital Ele- vation Data Version 4. 90m Resolution. http://srtm.csi.cgiar.org/
Arable Land	ARL	2018	Percentage of land cultivated for crops like wheat, maize, and rice that are replanted af- ter each harvest in a country.	United Nations Development Pro- gramme: Human Development Re- ports [23]
Enhanced Vegetation Index	EVI	2017-2019	EVI is an enhanced vegeta- tion index designed to im- prove vegetation signal in re- gions with high biomass by reducing atmospheric effects. Used criteria for the value is low clouds, low vision angle and the highest value of EVI.	MOD13A2.006 Terra Vegetation Indices 16- Day Global 1km. [26]
Domain: Political Ind	'ex			
Corruption Index	COR	2018	Captures the degree of per- ception of which public charges use public capital for private interests	Worldwide Gover- nance Indicators [27]
Goverment Effective- ness	GE	2018	Captures the perceptions on the quality of public services, civil services and their inde- pendence from political pres- sures as well as the percep- tion on credibility, compro- mise and quality of gover- mental policies.	Worldwide Gover- nance Indicators [27]
Absence of Violence	AV	2018	Measures the perception and cases on political instability and absence of violence and terrorism.	Worldwide Gover- nance Indicators [27]
Regulatory Quality	RQ	2018	Captures the perception of the ability of a goverment to enforce effective policies and regulations.	Worldwide Gover- nance Indicators [27]
Rule of Law	RL	2018	Captures perception on the quality of laws and the de- gree of fairness in which the law is applied	Worldwide Gover- nance Indicators [27]
Voice Accountability	VA	2018	Captures the perceptions on the level in which citizens from a country can actively engage with the selection of its goverment, freedom of speech, association and me- dia.	Worldwide Gover- nance Indicators [27]